

BALANTY

2025-2026

PRODUCT CATALOGUE

STANDBY DIESEL GENERATOR



HYUNDAI corporation

GROUP

Creating new values as a Global Business Partners

Company Introduction Overview

Established in 1976, Hyundai Corporation is a representative general trading company in Korea that has grown for the last 48 years with excellent results in international trade, overseas investment, energy & resource development fields and brand business.

We, utilizing own trademark (HYUNDAI), produce high-quality Portable Generator, Power tools, Air tools and gardening products and so on in cooperation with worldly renowned OEM manufacturers and distribute them into over 90 countries throughout the world through main distributors/dealers.

Recently, in order to jump up to Premium Brand which competes with world-wide global brands, we put emphasis on qualitative growth and competitiveness enhancement of our business. And along with this idea, we secure sustainability and growth potential of our business through OEM business development.

Overseas Networks

Actively engaged in the global market, Hyundai Corporation has worked on various business fields through its 43 global business networks established all over the world.

Company : 11(Including investment corporate)

Branch : 26

JV Company : 6



HYUNDAI AND BALANTY

Brand Extension

HYUNDAI
POWER PRODUCTS



BALANTY

HYUNDAI
corporation
HOLDINGS

BALANTY

Own Brand of HYUNDAI CORPORATION

“



BALANTY
product
is confirmed by
HYUNDAI
Genuine Mark

”

TOGETHER

Through the value of 'togetherness,' we drive change and growth.

We continuously share new value, present ever-evolving lifestyle trends, and grow alongside our community.

For Smart Value

For Sustainable Change

For Better Life



BALANTY STANDBY DIESEL GENERATOR



ADVANTAGES

- Reliable & strong performance with Class H insulation & IP23 protection alternator
- Safe to use with emergency shutdown system
- Large fuel tank for longer operation
- Low noise & Anit-vibration
- Easy installation & maintenance

ABOUT CANOPY

- IP68 Waterproof
- Power connections located on the bottom
- Radiator access door
- Independent fuel tank for easy cleaning & maintenance
- Easy lift canopy
- Door/Panel access for an easy cleaning of the radiator
- Integrated lifting eye
- Forklift pockets and frame protection pods
- Solid chassis
- Strong and compact design
- Door retainers
- Large doors for better & easy maintenance
- Water condensation

STANDARD ENGINE OPTION



- Globally acknowledged French engine brand
- High-quality manufacturing system with sound procurement system

HYUNDAI

- Globally acknowledged Korean engine brand
- High-performance engines known for its durability and efficiency


STANDARD ALTERNATOR OPTION

LEROY-SOMER

- French brand that leads worldwide industrial alternators



Emergency stop



Hooks



UK DSE6120MKIII



Sound Absorber

Model / Spec	Prime Power		Standby Power		Engine Model	CYL	BORE	STROKE	Net Dimension (L*W*H, mm)	
	kW	kVA	kW	kVA			mm	mm	Open	Silent
HBD165(S)	120	150	132	165	6M11G165/5	6	105	130	2400*950*1510	3270*1130*1650
HBD220(S)	160	200	176	220	6M16G220/5	6	126	130	2850*1040*1580	3920*1180*1900
HBD253(S)	184	230	202	253	6M16G250/5	6	126	130	2850*1040*1580	3920*1180*1900
HBD275(S)	200	250	220	275	6M16G275/5	6	126	130	2850*1050*1620	3920*1180*1900
HBD303(S)	220	275	242	303	6M16G300/5	6	126	130	3150*1100*1950	3970*1280*1900
HBD352(S)	256	320	282	352	6M16G350/5	6	126	130	3050*1100*1800	3970*1280*1900
HBD385(S)	280	350	308	385	6M21G400/5	6	127	165	3350*1150*1800	4170*1370*2200
HBD440(S)	320	400	352	440	6M21G440/5	6	127	165	3350*1150*1800	4170*1370*2200
HBD495(S)	360	450	396	495	6M21G500/5	6	127	165	3350*1150*1800	4570*1520*2300
HBD550(S)	400	500	440	550	6M21G550/5	6	127	165	3350*1150*1800	4570*1520*2300
HBD660(S)	480	600	528	660	6M33G660/5	6	150	185	3800*1600*2200	5220*2070*2500
HBD715(S)	520	650	572	715	6M33G715/5	6	150	185	3800*1600*2200	5220*2070*2500
HBD756(S)	550	688	605	756	6M33G750/5	6	150	185	3800*1600*2200	5670*2070*2500
HBD825(S)	600	750	660	825	6M33G825/5	6	150	185	3800*1600*2200	5670*2070*2500
HBD894(S)	650	813	715	894	8M33G900/5	8	150	185	4100*2000*2250	S20C
HBD990(S)	720	900	792	990	8M33G1000/5	8	150	185	4100*2000*2250	S20C
HBD1128(S)	820	1025	902	1128	8M33G1100/5	8	150	185	4400*2000*2250	S20C
HBD1265(S)	920	1150	1012	1265	12M33G1250/5	12	150	185	4700*2200*2400	S40C
HBD1375(S)	1000	1250	1100	1375	12M33G1400/5	12	150	185	4700*2200*2400	S40C

Model / Spec	Prime Power		Standby Power		Engine Model	CYL	BORE	STROKE	Net Dimension (L*W*H, mm)	
	kW	kVA	kW	kVA			mm	mm	Open	Silent
HBD165(S)	120	150	132	165	6M11G135/6	6	105	130	2400*950*1510	3270*1130*1650
HBD199(S)	145	181	160	199	6M11G160/6	6	105	130	2400*950*1510	3270*1130*1650
HBD220(S)	160	200	176	220	6M11G176/6	6	105	130	2400*950*1510	3370*1130*1650
HBD248(S)	180	225	198	248	6M16G200/6	6	126	130	2850*1040*1580	3920*1180*1900
HBD275(S)	200	250	220	275	6M16G220/6	6	126	130	2850*1040*1580	3920*1180*1900
HBD312(S)	227	284	250	312	6M16G250/6	6	126	130	2850*1050*1620	3920*1180*1900
HBD385(S)	280	350	308	385	6M16G308/6	6	126	130	3050*1100*1800	3970*1280*1900
HBD413(S)	300	375	330	413	6M21G330/6	6	127	165	3350*1150*1800	4170*1370*2200
HBD481(S)	350	438	385	481	6M21G390/6	6	127	165	3350*1150*1800	4170*1370*2200
HBD495(S)	360	450	396	495	6M21G400/6	6	127	165	3350*1150*1800	4570*1520*2300
HBD550(S)	400	500	440	550	6M21G460/6	6	127	165	3350*1150*1800	4570*1520*2300
HBD715(S)	520	650	572	715	6M33G575/6	6	150	185	3800*1600*2200	5220*2070*2500
HBD756(S)	550	688	605	756	6M33G600/6	6	150	185	3800*1600*2200	5220*2070*2500
HBD791(S)	575	719	633	791	6M33G633/6	6	150	185	3800*1600*2200	5670*2070*2500
HBD825(S)	600	750	660	825	6M33G660/6	6	150	185	3800*1600*2200	5670*2070*2500
HBD963(S)	700	875	770	963	8M33G770/6	8	150	185	4100*2000*2250	5895*2220*2500
HBD990(S)	720	900	792	990	8M33G800/6	8	150	185	4100*2000*2250	5895*2220*2500
HBD1100(S)	800	1000	880	1100	8M33G900/6	8	150	185	4400*2000*2250	5895*2220*2500
HBD1251(S)	910	1138	1001	1251	12M26G1000/6	12	150	150	4400*2000*2250	S20C
HBD1375(S)	1000	1250	1100	1375	12M33G1100/6	12	150	185	4700*2200*2400	S20C

HYUNDAI

50Hz

Model / Spec	Prime Power		Standby Power		Engine Model	CYL	BORE	STROKE	Net Dimension (L*W*H, mm)	
	kW	kVA	kW	kVA			mm	mm	Open	Silent
HBD184(S)	134	168	147	184	P086TI-1	6	111	139	2650*1000*1800	3770*1130*1800
HBD220(S)	160	200	176	220	P086TI	6	111	139	2650*1000*1800	3770*1130*1800
HBD303(S)	220	275	242	303	P126TI	6	123	155	3100*1100*2000	3970*1280*1900
HBD330(S)	240	300	264	330	P126TI-II	6	123	155	3100*1100*2000	3970*1280*1900
HBD440(S)	320	400	352	440	P158LE	8	128	142	3400*1350*2200	4270*1620*2200
HBD584(S)	425	531	468	584	DP158LD	8	128	142	3400*1350*2200	4270*1620*2200
HBD633(S)	460	575	506	633	DP180LA	10	128	142	3700*1700*2200	4870*1870*2550
HBD701(S)	510	638	561	701	DP180LB	10	128	142	3700*1700*2200	4870*1870*2550
HBD756(S)	550	688	605	756	DP222LB	12	128	142	3700*1700*2200	4870*1870*2550
HBD825(S)	600	750	660	825	DP222LC	12	128	142	3700*1700*2200	4870*1870*2550
HBD839(S)	610	763	671	839	DP222CA	12	128	142	3700*1700*2200	5220*2070*2500
HBD894(S)	650	813	715	894	DP222CB	12	128	142	3700*1700*2200	5220*2070*2500
HBD1004(S)	730	913	803	1004	DP222CC	12	128	142	3800*1800*2300	5220*2070*2500

HYUNDAI

60Hz

Model / Spec	Prime Power		Standby Power		Engine Model	CYL	BORE	STROKE	Net Dimension (L*W*H, mm)	
	kW	kVA	kW	kVA			mm	mm	Open	Silent
HBD209(S)	152	190	167	209	P086TI-1	6	111	139	2650*1000*1800	3770*1130*1800
HBD241(S)	175	219	193	241	P086TI	6	111	139	2650*1000*1800	3770*1130*1800
HBD281(S)	204	255	224	281	DP086LA	6	111	139	2650*1000*1800	3770*1130*1800
HBD344(S)	250	313	275	344	P126TI	6	123	155	3100*1100*2000	3970*1280*1900
HBD378(S)	275	344	303	378	P126TI-II	6	123	155	3100*1100*2000	3970*1280*1900
HBD440(S)	320	400	352	440	DP126LB	6	123	155	3100*1100*2000	4170*1370*2200
HBD495(S)	360	450	396	495	P158LE	8	128	142	3400*1350*2200	4270*1620*2200
HBD578(S)	420	525	462	578	DP158LC	8	128	142	3400*1350*2200	4270*1620*2200
HBD619(S)	450	563	495	619	DP158LD	8	128	142	3400*1350*2200	4270*1620*2200
HBD694(S)	505	631	556	694	DP180LA	10	128	142	3700*1700*2200	4870*1870*2550
HBD743(S)	540	675	594	743	DP180LB	10	128	142	3700*1700*2200	4870*1870*2550
HBD825(S)	600	750	660	825	DP222LA	12	128	142	3700*1700*2200	4870*1870*2550
HBD880(S)	640	800	704	880	DP222LB	12	128	142	3700*1700*2200	4870*1870*2550
HBD928(S)	675	844	743	928	DP222LC	12	128	142	4400*2000*2250	4870*1870*2550
HBD949(S)	690	863	759	949	DP222CA	12	128	142	3700*1700*2200	5220*2070*2500
HBD1031(S)	750	938	825	1031	DP222CB	12	128	142	3700*1700*2200	5220*2070*2500
HBD1100(S)	800	1000	880	1100	DP222CC	12	128	142	3800*1800*2300	5220*2070*2500

MEMO

Handwriting practice lines consisting of 20 horizontal dotted lines.

Authorized Distributor / Dealer



GENUINE PRODUCT OF
HYUNDAI CORPORATION

HYUNDAI CORPORATION / HYUNDAI CORPORATION HOLDINGS

25, Yulgok-ro 2-gil, Jongno-gu,
Seoul 03143, Korea,
Post Code : 03143
www.hyundaicorp.com
www.hyundaicorpholdings.com

BALANTY